Restaurant Equipment Supply

Restaurant equipment and restaurant supplies, then you have come to the right place. We offer everything you need to run a successful bar or restaurant including cooking, refrigeration, bakery and food prep equipment. We also have a large variety of restaurant and bar furniture, smallwares, warewashing equipment, and specialty items. We even offer equipment for stores, schools, hospitals, homes and just about anywhere you need commercial grade or restaurant quality equipment. We are considerate of the environment and offer energy star and other environmentally friendly green products. If you can not find what you are looking for on our website, please contact us for a personal quote on the items you need.

Kitchen Traffic Doors

Service-Pro Series 20 Swinging Door, size: 24" x 84", .063" tempered aluminum alloy with satin anodized finish, 9" x 14" clear acrylic safety window, reinforced back spine

Curtron 20-AL-36X96-DBL

Service-Pro Series 20 Swinging Double Door, size: 36" x 96", two 18" x 96" panels, .063" tempered aluminum alloy with satin anodized finish, 6" x 12" clear acrylic safety window, reinforced back spine

Catalog Advanced Search

Sandwich/Salad Unit, 12 cu. ft., self-contained, (2) swing door, (2) adjustable wire shelf, (12) 1/6 size pan capacity, cutting board side rail, cold air compartment, CFC free polyurethane insulation, stainless steel construction, 4" casters, 1/3 HP, ETL, cETL, NSF, 6.5 amps, 2 year parts/labor & 5 yrs compressor warranty, standard, 115v/60/1, standard Dimensions 37.00(h) x 48.25(w) x 30.00(d). Free shipping includes liftgate and appointment to a business only.

ArcAir TMR47

Refrigerator, reach-in, two-section, 47 cu. ft., 1/3 HP, exterior LED digital thermometer, (2) hinged solid door w/recessed handle & lock, (3) PE coated wire shelves per section, s/s front & sides, aluminum interior with s/s floor, 4" swivel casters, top mount self-contained compressor, NSF-7, ETL, cETL, ENERGY STAR®, 2 year parts/labor & 5 yrs compressor warranty, standard, 115v/60/1, standard Dimensions 78.00(h) x 51.70(w) x 30.70(d). Free shipping includes liftgate and appointment to a business only. No residential deliveries. No local pick up. No shipping outside of the continental United States (No shipping to Alaska, Hawaii or Puerto Rico).

Vitamix 1005

VM0101D) Vita-Prep 3 Commercial Food Blender, variable speed, 64 oz. (2.0 liter) high-impact, clear container w/wet blade, black base, 54 page recipe and technique guide, 3 peak HP, 120v/50/60/1-ph, 12 amps, cUL listed, NSF certified

WARRANTY: The Vita-Prep 3 is backed by a three-year warranty on motor base parts and a one-year warranty on labor. For more information regarding this warranty, please contact your local dealer, distributor, or a Vitamix service representative at 800.437.4654.

Features And Benefits

- Efficiently pulverizes the toughest whole-food ingredients with a powerful ≈3 peak output horsepower motor
- Premium engineering offers optimum reliability during peak hours of operation
- Variable Speed Control creates every blend according to your culinary precision
- Advanced cooling fan resists overheating
- Patented, high-impact container

Robot Coupe R2N CLR

Commercial Food Processor, 3 qt. clear polycarbonate bowl w/handle, kidney-shaped opening, vegetable prep attachment with external ejection, "S" blade, 27577 5/64" (2mm) grating disc and 27566 5/32" (4mm) slicing disc, continuous feed, bowl attachment designed for vertical cutting and mixing, on/off & pulse switch, single speed, 1725 RPM, 120v/60/1-hp, 7 amps, 1 HP, ETL electrical and sanitation, cETL

Cambro 300MPC110

Camcarrier Food Pan Carrier, for 12" x 20" food pans, 16-1/2"W x 24"D x 23-5/16"H, approximately capacity 36 quarts, fits Camdolly CD300, CD300H, CD300HB, holds full size 12 x 20, 1/2 or 1/3 size pans, polyethylene with foam insulation, latches & gaskets, black, NSF

Adcraft SG-811E

Panini Grill, single, 13" x 8-3/4" grill surface, thermostat temperature 120F to 570F, cast iron ribbed grilling surface, includes oil tray & cleaning brush, stainless steel construction, 120v/60/1-ph, 1750 watts, NSF, CE

Arctic Air AUC27R

Undercounter Refrigerator, reach-in, one-section, 6.5 cubic feet capacity, electronic thermostat with digital LED display, (1) self-closing door, (1) epoxy coated adjustable wire shelf, self-contained refrigeration, stainless steel exterior, white aluminum interior, casters, 115v/60/1, 5.0 amps, 3/8 hp, 8' cord, NEMA 5-15P, cUL, NSF

For more information please visit
http://www.ishopculinary.com